

# Tech 5820

# **1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND SUPPLIER**

Product name:	<b>Tech 5820</b>
Recommended Use:	Powdered alkaline cleaner
Supplier: Street	Hygiene Technologies Ltd 28 Rangitane Rd Whakatu, Hastings 4172 New Zealand
Telephone:	+ 64 6 876 4111 or 0800 732 525
Emergency:	NZ Fire Service 111
Telephone	National Poisons Centre (24/7) <b>- 0800 POISON</b> (0800 764 766)

## 2. HAZARDS IDENTIFICATION

This product is classified as a Dangerous Good according to NZS 5433:2020. Transport of Dangerous Goods on Land.

Hazardous Substances Classified as hazardous according to criteria in GHS 7.

Signal Word DANGER



**Group Standard 2020** 

HSR002526.

#### **Hazard Classifications**

. .

Corrosive to Metals – Category 1. Acute Toxicity (Oral) – Category 4. Specific Target Organ Toxicity (single) – Category 3. Skin Corrosion – Category 1B. Serious Eye Damage – Category 1.

Hazard Statements	
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
11005	May any an unapply of any invitation

H335

May cause respiratory irritation.

#### **Prevention Precautionary Statements**

P102	Keep out of reach of children.
P103	Ready carefully and follow instructions.
P234	Keep only in original packaging.
P260	Do not breathe dusts, vapours or spray.
P264	Wash hands, face and all exposed skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves, protective clothing, eye and face protection and suitable respirator.



#### **Response Precautionary Statements** P101 If medical advice is needed, have product container or label at hand. P301+P312 IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water P303+P361+P353 or shower. **P363** Wash contaminated clothing before reuse. P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell. P310 Immediately call a POISON CENTRE or doctor. P321 Specific treatment (see Section 4 of this SDS). P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **P390** Absorb spillage to prevent material damage. **Storage Precautionary Statement**

P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.

#### **Disposal Precautionary Statement**

Dispose of contents and container in accordance with local, regional, national and international regulations.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient	CAS No.	PROPORTION
Sodium hydroxide	1310-73-2	30 – 60% (w/w)
Sodium Metasilicate	6834-92-0	0 - 10 % (w/w)
Ingredients classified as non- hazardous at the concentrations used.		Balance

### 4. FIRST AID MEASURES

For advice, contact National Poisons Information Centre (Phone 0800 764 766) or a doctor If medical advice is needed, have product container or label at hand.

Swallowed

P501

Rinse mouth and then drink a glass of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If vomiting occurs, give further water. Immediately call a POISON CENTRE or doctor for advice.

**Eye Contact** 

Immediately rinse cautiously with copious volumes of water for 15 minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor for advice. Transport to hospital or medical centre without delay.

Skin Contact

If skin or hair irritation occurs, remove all contaminated clothing and flush skin and hair with running water for at least 15 minutes. For minor skin contact, avoid spreading material on to unaffected skin. If swelling, redness, blistering or irritation occurs seek medical assistance. For gross contamination, immediately drench contaminated skin and clothing with plenty of water and remove clothing. Continue to flush skin and hair with plenty of water (and soap if material is soluble). For skin burns, cover with a clean, dry dressing until medical help is available. Immediately call a POISON CENTRE or doctor for advice. Wash contaminated clothing before reuse.

Date of Issue :18/11/2024

**TECH 5820** 



Inhaled Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Centre or doctor for advice. Allow person to assume most comfortable position and keep at rest until fully recovered. Seek medical advice if effects persist. If breathing has stopped, apply artificial respiration at once. Do not use mouth-to-mouth method if person ingested or inhaled the substance; use alternative respiratory method or proper respiratory device. Seek urgent medical attention.

Refer to National Poisons and Hazardous Chemicals Information Centre 0800 764 766.

#### **5. FIRE FIGHTING MEASURES**

**Specific Hazard** Non-combustible material. Suitable Extinguishing If material is involved in a fire, use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam or dry agent (carbon dioxide or dry chemical powder). Media Non-combustible, material itself does not burn. If safe to do so, remove containers from **Fire/Explosion Hazards** path of fire. Fire fighters to wear self-contained breathing apparatus (SCBA) and chemical splash suit if risk of exposure to products of decomposition. Fully-encapsulating, gas-tight suits should be worn for maximum protection. Structural fire fighter's uniform is NOT effective for this material. 2R.

#### **HAZCHEM CODE**

#### 6. ACCIDENTAL RELEASE MEASURES

Contain minor spills from local drainage with any suitable bund or barrier. Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of dusts. Soak up spilled product using absorbent, non-combustible material such as earth or sand. Avoid using sawdust or cellulose. When saturated, collect material into suitable, clearly labeled, dry, sealable containers and hold for safe disposal. Once clean up is complete, flush spill site with plenty of water to eliminate any residue.

For large spills from drums and IBCs, alert the local Fire Brigade. Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination. Ensure adequate ventilation. Work up wind or increase ventilation. Do not touch or walk through spilled material. Avoid contact with skin and eyes. Stop leak if safe to do so. Prevent entry into waterways, drains or confined areas. Use absorbent (earth, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If material contaminates crops, sewers or waterways, alert local emergency services.

#### 7. HANDLING AND STORAGE

#### Handling advice

Do not mix with acids. Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Do not breathe in dusts. Prevent contact with eyes and skin. Wear protective gloves, protective clothing and eye and face protection (see

Section 8). Avoid contact with incompatible materials.

Storage advice

Store in a cool, dry and well-ventilated area, away from direct sunlight, heat sources, incompatible materials (described in Section 10) and food stuffs. Store locked up in corrosive resistant container with a resistant inner liner. Ensure containers are correctly labelled, protected from physical damage, sealed when not in use and stored upright. Check containers regularly for leaks.



# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Workplace Exposure Guidelines Sodium hydroxide (CAS No.	No value assigned for this specific material by the NZ Occupational Safety and Health Services (OSH). For component: S No. 1310-73-2)		
	-Safe Work Australia Exposure Standard: TWA = 2 mg/m3 peak limitation. -New Zealand Workplace Exposure Standard: TWA = 2 mg/m3 ceiling.		
Engineering Controls	Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use only in well-ventilated areas. Use with local exhaust ventilation or while wearing appropriate respirator.		
Personal Protective Equipment	OVERALLS, CHEMICAL GOGGLES, GLOVES, RUBBER BOOTS, APRON.		
Equipment	Personal protective equipment (PPE) must be suitable for the nature of the work and any hazard associated with the work as identified by a risk assessment.		
	Wear overalls, chemical goggles, gloves, rubber boots and an apron. A face shield can be used for supplementary protection of the face, however never for primary protection of the eyes. Available information suggests that gloves made from butyl rubber, natural rubber, nitrile rubber, neoprene or PVC should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. When handling do not eat, drink or smoke. Wash contaminated clothing and other protective equipment before storage or reuse. Ensure that eyewash stations and safety showers are close to the workstation location.		

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Powder
Colour	Off-white
Odour	Characteristic
рН	12.8 (1% aqueous solution)
Freezing Point	N App
Boiling Point / Range (°C)	N Av
Flash Point (°C)	N App
Vapour Pressure	N App
Specific Gravity	N Av
Solubility	Soluble in water
Viscosity	N App
Relative Vapour Density	
(air-1)	<1

#### (air=1)

(Typical values only – consult specification sheet) N Av = Not available, N App = Not applicable



## **10. STABILITY AND REACTIVITY**

This material is thermally stable when stored and used as directed.
Elevated temperatures and sources of ignition.
Acids, ammonium salts, aluminium, tin, zinc and brass.
Reacts violently with acids. React exothermically on dilution with water.

Hazardous Decomposition Oxides of carbon and nitrogen, smoke and other toxic fumes.

#### Products

### **11. TOXICOLOGICAL INFORMATION**

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Swallowed	Harmful if swallowed. Swallowing can result in nausea, vomiting, diarrhoea, abdominal pain and chemical burns to the gastrointestinal tract.
Eye Contact	Corrosive to eyes. Contact with eyes will result in serious eye damage including redness, pain, blurred vision and severe corneal burns. Contamination of eyes can result in permanent injury.
Skin Contact	Corrosive to skin. Contact with skin will result in severe, deep penetrating burns and necrosis.
Inhaled	Material may be corrosive to mucous membranes and respiratory tract.
Long Term Effects	No information available for the product.

## **12. ECOTOXICOLOGICAL INFORMATION**

- Aquatic toxicity Classified as harmful to aquatic species due to high pH.
- **Ecotoxicity** No information available.

Persistence / Degradability No information available.

**Bioaccumulation Potential** No information available.

Mobility No information available

#### **TECH 5820**



## **13. DISPOSAL CONSIDERATIONS**

Recycle wherever possible. Whatever cannot be saved for recovery or recycling should be sent to an approved waste disposal contractor for disposal in an approved waste facility. Processing, use or contamination of this product may change the waste management options. Dispose of container and unused contents using an approved waste disposal contractor. Care should be taken to ensure compliance with national and local regulations. This product is NOT for unauthorised disposal by either landfill or via municipal sewers. Not to be discharged to drains, natural streams or rivers.

Special Precautions: Empty drums should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor. Observe all safeguards on label and in this SDS until container is cleaned, reconditioned or destroyed. Decontaminate empty containers with water. Dispose of container and unused contents in accordance with local authority requirements.

#### **14. TRANSPORT INFORMATION**

ROAD AND RAIL TRANSPORT Classified as a Dangerous Good according to NZS 5433:2020 Transport of Dangerous Goods on Land.



UN Number:	3262
Dangerous Goods Class:	8
Packing Group:	II
Hazchem Code:	2X
Emergency Response	37
Guide No:	
Proper Shipping Name:	<u>CORRO</u> N.O.S. (\$

#### CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE; SODIUM

**Segregation Dangerous Goods:** Not to be loaded with explosives (Class 1), dangerous when wet substances (Class 4.3), oxidising agents (Class 5.1), organic peroxides (Class 5.2), radioactive substances (Class 7) or food and food packaging in any quantity. Note 1: Concentrated strong alkalis are incompatible with concentrated strong acids. Note 2: Concentrated strong acids are incompatible with concentrated strong alkalis. Note 3: Acids are incompatible with Dangerous Goods of Class 6 which are cyanides. Exemptions may apply.

#### MARINE TRANSPORT

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.



UN Number:3262Dangerous Goods Class:8Packing Group:IIProper Shipping Name:CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE; SODIUM<br/>METASILICATE).



#### AIR TRANSPORT

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.



UN Number:	3262
Dangerous Goods Class:	8
Packing Group:	II.
Proper Shipping Name:	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE; SODIUM
	METASILICATE).

### **15. REGULATORY INFORMATION**

ERMA (NZ) Approval CodeN/A.Group Standard 2020HSR002526 – Cleaning Products (Corrosive) Group Standard.For more information refer to the ERMA website: www.epa.govt.nz

## **16. OTHER INFORMATION**

Revision	3
Revision Date	18 November 2024
Reason for Issue	Regular review
Review	18 November 2029

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. The User is responsible to evaluate all available information when using the product for any particular use and to comply with all the current legislation.