Safety Data Sheet



TENAX Prosafe

1. Identification of the substance/mixture and supplier

Product Name TENAX Prosafe

Other names None

Recommended Uses Cleaner/Sanitiser

SupplierHygiene TechnologiesStreet address28 Rangitane Road

Hastings New Zealand

 Freephone Number
 0800 732 525

 Telephone Number
 (06) 876 4111

 Facsimile
 (06) 878 3802

E-mail info@hygienetech.co.nz

Emergency Telephone NZ Fire Service - 111

National Poisons Centre - 0800 764 766 (0800 POISON)

2. Hazards Identification

Dangerous Goods Classified as a dangerous good according to NZS 5433:1999

Transport of Dangerous Goods on Land

Dangerous Goods.

Hazardous Substances Classified as hazardous according to criteria in the HS

(Minimum Degrees of Hazard) Regulations 2001.

X_I (Irritant).

HSNO Classifications 6.1E (Toxic)

Hygiene Technologies Ltd - TENAX Prosafe SDS

8.2B (Corrosive to skin) 8.3A (Corrosive to Eye)

9.3C (harmful to terrestrial vertebrates)

Hazard Statements Harmful if swallowed

Causes severe skin burns and eye damage.

Harmful to terrestrial vertebrates.

Precautionary Statements Keep out of reach of children. Read label before use.

Wear protective gloves, eye protection. Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid release to the environment.

Date of Issue: 15th March 2017

Page 1 of 6

3. Composition/Information on Ingredients

Contents	CAS Number	Proportion
Potassium Hydroxide Liquor - 50% w/w	1310-58-3	1-5%
Sodium Hypochlorite - 14/15% w/w	7681-52-9	30-60%
Sodium Silicate	13870-28-5	10-30%
Surfactants	N/A	5-10%
Non hazardous ingredients	N/A	5-10%
Water	7732-18-5	To 100%

4. First Aid Measures

For advice, contact National Poisons Information Centre (Phone 0800 764 766) or a doctor. If medical advice is needed, have product container or label at hand. If exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

Swallowed Do <u>NOT</u> induce vomiting. Rinse mouth with water. Give water to drink

to achieve dilution. If symptoms persist call a POISON CENTRE or

doctor/physician.

Eye Contact Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do. Continue rinsing. If symptoms persist

contact a doctor/physician.

Skin Contact Take off immediately all contaminated clothing. Wash contaminated

clothing before reuse. Rinse skin with water/shower.

Inhaled Remove to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist call a POISON CENTRE or

doctor/physician.

Advice to Doctor Treat symptomatically, can cause corneal burns. Pre-existing

disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin, lung (for example,

asthma-like conditions).

5. Fire-fighting Measures

Specific Hazard Non-combustible material. The product may decompose in a fire giving

off toxic carbon monoxide and possible chlorine gas.

Suitable Extinguishing Media This product is non-combustible, if material is involved in fire use

media appropriate for surrounding fire conditions. Safe to use water fog or water spray, foam, dry agent (carbon dioxide, dry chemical

powder).

Fire-fighting advice Non-combustible, however following evaporation of aqueous

component residual material can decompose if involved in a fire, emitting toxic fumes. If safe to do so, remove containers from path of fire. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk to exposure to products of

decomposition.

Hazchem Code 2X

Date of Issue: 15th March 2017

Hygiene Technologies Ltd – TENAX Prosafe SDS

6. Accidental Release Measures

Avoid walking through spilled product as it may be slippery. Stop leak if safe to do so. Do NOT let product reach drains or waterways. If contamination of sewers or waterways has occurred, advise local emergency services. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact. Soak up spilled product using absorbent non-combustible material such as sand or soil. Avoid using sawdust or cellulose. When saturated, collect material into suitable, clearly labeled, dry, sealable containers and hold for safe disposal. Once pick up is complete, flush spill site with plenty of water to eliminate any residue. Hold contaminated water for disposal by a waste disposal contractor

7. Handling and Storage

Handling advice Before use, carefully read the product label. Avoid eye contact with

concentrated material. Avoid breathing in vapours, mists and aerosols. Wash hands thoroughly after handling. Wear protective gloves, eye protection and overalls when handling bulk product. Contaminated work clothing should not be allowed out of the workplace after handling

bulk product. Avoid release to the environment.

Storage advice Store in a cool, dry well ventilated area, away from direct sunlight, heat

sources and food stuffs. Ensure containers are correctly labelled, protected from physical damage, sealed when not in use and stored upright. Check regularly for leaks, spills etc. Keep out of reach of children. Keep containers closed when not in use. Store in original packaging as approved by manufacturer. Do not use empty containers

for the storage of foodstuffs.

8. Exposure Controls / Personal Protection

Workplace Exposure Guidelines

No value assigned for this specific material by the NZ Occupational Safety and Health Services (OSH).

Engineering Controls

Natural ventilation should be adequate under normal use conditions. Keep containers closed when not in use.

Personal Protective Equipment

Wear safety glasses, and use PVC vinyl or rubber gloves. If risk of inhalation exists wear a respirator meeting the requirements of AS/ NZS 1715 and AS/ NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

9. Physical and Chemical Properties

Appearance Clear, light yellow medium viscosity liquid

Odour Slight chlorine
Solubility soluble in water
Specific Gravity Approx. 1.24
Flash Point (°C) Not applicable
pH 12.8 (1% solution)

Freezing Point <0 °C

Boiling Point >100 °C

Vapour Pressure Not available

Date of Issue: 15th March 2017 Page 3 of 6

10. Stability and Reactivity

Stability Product is stable under directed conditions of use, storage and

temperature.

Reactivity Incompatible with strong mineral acids, will release toxic chlorine

gas if mixed.

11. Toxicological Information

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Swallowed Corrosive to skin. May cause abdominal pain, nausea,

diarrhoea, and gastrointestinal irritation

Eye Contact Corrosive to eyes, contact can cause corneal burns and result in

permanent injury.

Skin Contact Corrosive to skin - may be severe with sensitive individuals or

repeated contact. May result in irritation and redness. Prolonged or repeated contact may cause dermatitis. May cause an allergic skin reaction in individuals known to suffer allergic reactions to

chemical products.

Inhaled Breathing in mists or aerosols may produce respiratory irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled by individuals known to suffer allergic reactions to

chemical products.

Long Term Effects No data.

Toxicological Data No LD₅₀ data available for this product

For component Potassium Hydroxide:

Oral LD₅₀ (rat): 273 mg/kg

Disodium trioxosilicate Oral LD₅₀ (Rat): 1100mg/kg

12. Ecological Information

HSNO classification: 9.1C (Harmful to the terrestrial vertebrates) Avoid contaminating waterways.

Aquatic toxicity No LC₅₀ data available for this product.

13. Disposal

Recycle wherever possible. Whatever cannot be saved for recovery or recycling should be sent to an approved waste disposal contractor for disposal in an approved waste facility. Processing, use or contamination of this product may change the waste management options. Dispose of container and unused contents using an approved waste disposal contractor. Care should be taken to ensure compliance with national and local regulations. This product is NOT for unauthorised disposal by either landfill or via municipal sewers. Not to be discharged to drains, natural streams or rivers.

Date of Issue: 15th March 2017

Hygiene Technologies Ltd – TENAX Prosafe SDS

Special Precautions: Empty drums should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor. Observe all safeguards on label and in this SDS until container is cleaned, reconditioned or destroyed. Decontaminate empty containers with water. Dispose of container and unused contents in accordance with local authority requirements.

14. Transport Information

Road and Rail Transport

Classified as a Dangerous Good according to NZS 5433:1999 Transport of Dangerous Goods on

Land.

UN No 1719 Class-primary 8 Packing Group II

Proper Shipping Name Corrosive Liquids. N.O.S

Hazchem Code 2X

Marine Transport

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code

(IMDG Code) for transport by sea.

UN No 1719 Class-primary 8 Packing Group II

Proper Shipping Name Corrosive Liquids. N.O.S

Air Transport

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA)

Dangerous goods Regulations for transport by air.

UN No 1719 Class-primary 8 Packing Group II

Proper Shipping Name Corrosive Liquids. N.O.S

15. Regulatory Information

ERMA (NZ) Approval Code HSR 002526

Group Standard Industrial and institutional Cleaning Products (Corrosive) Group

Standard 2006

HSNO Classifications 6.1E (Oral Toxicity)

8.2B (Corrosive to skin)8.3A (Corrosive to Eye)

9.3C (harmful to terrestrial vertebrates)

HSNO Controls Trigger quantities for this substance by itself in a "place":

Approved Handler: requirement not triggered Secured when unattended: requirement not triggered Tracking: requirement not triggered Transit depot requirements: requirement not triggered Hazardous substance location: requirement not triggered Hazardous atmosphere zone: requirement not triggered Child Resistant Packaging: requirement if offered for sale in a package that is less than 2.5L (Not applicable if the offer for sale is made in a place of work where children do not

have access and the substance is for use in that place of work)

For more information refer to the ERMA website: www.ermanz.govt.nz

Date of Issue: 15th March 2017

16. Other Information

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. The User is responsible to evaluate all available information when using the product for any particular use and to comply with all the current legislation.

Date of Issue: 15th March 2017