

# TECH 298

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

<b>Supplier Name</b>	Hygiene Technologies Ltd
<b>Address</b>	28 Rangitane Road Whakatu, Hastings New Zealand
<b>Freephone Number</b>	0800 732 525
<b>Telephone Number</b>	(06) 876 4111
<b>Facsimile</b>	(06) 878 3802
<b>E-mail</b>	<a href="mailto:info@hygienetech.co.nz">info@hygienetech.co.nz</a>
<b>Emergency Telephone</b>	NZ Fire Service - 111 National Poisons Centre – 0800 764 766 (0800 POISON)
<b>Recommended Uses</b>	Acid cleaner

## 2. HAZARDS IDENTIFICATION

<b>Dangerous Goods</b>	Classified as a Dangerous Good according to NZS5433:2020 “Transport of Dangerous Goods on Land”.
<b>Hazardous Substances</b>	Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.
<b>Signal Word</b>	<b>DANGER</b>
<b>Pictograms</b>	Corrosion, Health Hazard
<b>HSNO Classifications</b>	Skin Corrosion – Category 1B Eye Damage – Category 1 Specific Target Organ Toxicity (Repeated Exp) - Category 2 Corrosive to Metals - Category 1
<b>Hazard Statements</b>	May be corrosive to metals. Causes severe skin burns and serious eye damage. May cause damage to organs through prolonged or repeated exposure.
<b>Precautionary Statements</b>	Keep out of reach of children. Read label before use. Keep in original container. Do not breathe spray. Wear protective gloves, eye protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Keep only in original container. Collect spillage.

<b>Response Statements</b>	<p>If medical advice is needed, have product container or label at hand. Get medical advice if you feel unwell.</p> <p>IF SWALLOWED: Rinse mouth. Do not induce vomiting.</p> <p>IF ON SKIN (or hair): Rinse skin with water. Remove immediately all contaminated clothing. Wash contaminated clothing before reuse.</p> <p>IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTRE or doctor.</p> <p>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor.</p> <p>Absorb spillage to prevent material damage.</p>
<b>Storage Statements</b>	<p>Store locked up, in accordance with local regulatory requirements. Store in corrosive resistant container.</p>
<b>Disposal Statements</b>	<p>Dispose of contents and container in accordance with NZ Hazardous Substances Disposal Notice 2017, Section 9.</p>

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Proportion
Nitric acid	7697-37-2	30-60%
Phosphoric acid	7664-38-2	10-20%
Water	7732-18-5	To 100%

### 4. FIRST AID MEASURES

For advice, contact National Poisons Information Centre (Phone 0800 764 766) or a doctor.

<b>Eye Contact</b>	<p>Hold eyelids apart and rinse the eye with water for several minutes. Immediately call the National Poisons Information Centre or a doctor. Continue flushing for at least 15 minutes or until advised to stop.</p>
<b>Skin Contact</b>	<p>If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Immediately obtain medical attention if skin irritation or rash develops. Wash contaminated clothing before reuse.</p>
<b>Swallowed</b>	<p>Do <u>NOT</u> induce vomiting. Rinse mouth with water. Give water to drink to achieve dilution. Immediately call the National Poisons Information Centre or a doctor.</p>
<b>Inhaled</b>	<p>Remove to fresh air and keep at rest in a position comfortable for breathing. Apply artificial respiration if not breathing. If experiencing respiratory symptoms, immediately call the National Poisons Information Centre or a doctor.</p>
<b>Advice to Doctor</b>	<p>Treat symptomatically and as for exposure to corrosive acid. Refer to National Poisons and Hazardous Chemicals Information Centre 0800 764 766</p>

## 5. FIRE FIGHTING MEASURES

<b>Flammability</b>	Product is a non-flammable liquid.
<b>Fire and Explosion</b>	Flammable hydrogen gas may be formed in contact with metals.
<b>Suitable Extinguishing Media</b>	This product is non-combustible and non-flammable. If material is involved in fire use media appropriate for surrounding fire conditions. Safe to use water fog or water spray, foam, dry agent (carbon dioxide, dry chemical powder).
<b>Fire-fighting advice</b>	Decomposes on heating emitting toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to products of decomposition. Use water-fog to cool intact containers and nearby storage areas. Prevent contamination of drains or waterways; absorb runoff with sand or similar.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Small spills</b>	For spills during personal use, rinse with plenty of water. Normal good housekeeping practices required.
<b>Large spills</b>	For major spills of bulk product, protective clothing consisting of overalls, safety glasses and gloves should be worn. Contain spill with sand, earth or vermiculite. Collect recoverable product into labelled container for recycling or disposal. Neutralise residues by dilution with water and then addition of lime or soda ash. <b>Caution – heat may be evolved on contact with water or weak alkaline solutions.</b> Dispose of neutralised liquid in accordance with local body regulations. Wash area down with excess water. Dispose of this resulting liquid in accordance with local body regulations. Do not wash concentrated material down the sewer. If contamination of sewers or waterways and/or surrounding environment has occurred notify Local Emergency Services, Local Authorities and the Regional Council. Recycle containers wherever possible. Wash damaged containers with water before disposal.

## 7. HANDLING AND STORAGE

<b>Precautions for Handling</b>	Before use carefully read the product label. Observe good personal hygiene practices and recommended procedures. Avoid skin and eye contact. Avoid generating and breathing mist or vapour. . Avoid heat, naked flames and ignition sources. Wear protective gloves, protective clothing and eye protection. Do not eat, drink or smoke when using this product. Wash hands and exposed skin thoroughly after handling. Avoid release to the environment. May corrode metallic surfaces. Use corrosion-resistant tools. Keep only in original container. Keep container tightly closed.
<b>Precautions for Storage</b>	An eyewash station should be installed next to where bulk product is made or stored. Store in a cool, dry, well-ventilated area. Store locked up. Keep containers tightly closed when not in use. Ensure containers are air-tight. Protect against physical damage. Do not store or transport with foodstuffs. Store away from incompatible materials including alkalis, oxidising agents and most common metals. Keep out of reach of children.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Workplace Exposure Guidelines

No value assigned for this specific material by the WorkSafe NZ. However, Workplace Exposure Standards for components are:

Phosphoric acid: WES - TWA: 1mg/m<sup>3</sup>  
Nitric acid: WES -TWA: 5.2mg/m<sup>3</sup> (2ppm)

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

### Engineering Controls

Natural ventilation should be adequate under normal use conditions. When handling bulk product, ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Avoid breathing vapour. If necessary use with local exhaust ventilation or wear a respirator. Keep containers closed when not in use.

### Personal Protective Equipment

Wear overalls, chemical goggles and PVC or rubber gloves. Ensure ventilation is adequate. Avoid inhaling vapours. If inhalation risk exists, use with local exhaust ventilation or while wearing respirator meeting the requirements of AS/ NZS 1715 and AS/ NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Clear, light yellow liquid
<b>Odour</b>	Faint acidic
<b>Solubility</b>	Completely soluble in water
<b>Specific Gravity</b>	1.29
<b>Flammability</b>	Non flammable
<b>Flash Point (°C)</b>	Not applicable
<b>Upper Explosion Limit</b>	Not applicable
<b>Lower Explosion Limit</b>	Not applicable
<b>pH</b>	<2 (1% aqueous solution)
<b>Freezing Point</b>	Not available
<b>Boiling Point</b>	Not available

## 10. STABILITY AND REACTIVITY

**Chemical Stability** Product is stable under directed conditions of use, storage and temperature. Hazardous polymerization will not occur. Slow decomposition of the Nitric acid component occurs at room temperature (accelerated by exposure to light, air, organic matter and increases in temperature) with the formation of nitrogen oxides, which may colour the product yellow or red.

**Conditions to Avoid** Avoid contact with incompatible substances.

**Materials to Avoid** A strong acid, it is corrosive and reacts violently with alkalis. Reacts violently with sodium hypochlorite and chlorine based oxidizing agents liberating toxic chlorine gas. Attacks many metals forming flammable hydrogen gas.

<b>Preparation and Use of Product</b>	Do not mix with other chemicals as the activity of the product may be removed.
<b>Decomposition</b>	May evolve toxic gases (nitrogen and phosphorus oxides) if heated to decomposition.

## 11. TOXICOLOGICAL INFORMATION

<b>Health Hazard Summary</b>	Corrosive. This product has the potential to cause acute and chronic health effects following exposure. Avoid eye or skin contact and vapour generation - inhalation. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:
<b>Eye Contact</b>	Corrosive to eyes, contact can cause corneal burns. Contamination of the eyes can result in permanent injury.
<b>Skin Contact</b>	Corrosive to skin – may cause skin burns.
<b>Swallowed</b>	Corrosive. Swallowing can result in nausea, vomiting, diarrhoea, abdominal pain and chemical burns to the gastrointestinal tract.
<b>Inhaled</b>	Vapour is an irritant to mucous membranes and respiratory tract. May cause coughing, choking and inflammation and ulceration of the respiratory tract.
<b>Long Term Effects</b>	Repeated or long term exposure to acid vapours may have effects on the lungs, resulting in chronic bronchitis.
<b>Toxicological Data</b>	No LD50 data available for the product. For component Nitric acid: Oral LD50 (human): 430mg/kg body weight Inhalation LC50 (rat): 130mg/m <sup>3</sup> per 4 hour  For component Phosphoric acid: Oral LD50 (rat): 1530mg/kg body weight Dermal LD50 (rabbit): 3124mg/kg body weight

## 12. ECOLOGICAL INFORMATION

<b>Environment</b>	Avoid contaminating waterways. Harmful in the aquatic environment. Toxic effects on fish and plankton primarily due to pH shift. Does not cause biological oxygen deficit. Bioaccumulative: No                      Rapidly degradable: Not applicable (inorganic)
<b>Persistence &amp; degradability:</b>	Product is a mobile liquid with low volatility and it is biodegradable in water. Not expected to bioaccumulate.
<b>Aquatic toxicity</b>	No LC50 data available for the product.

### 13. DISPOSAL CONSIDERATIONS

<b>Waste Disposal</b>	Recycle wherever possible. Whatever cannot be saved for recovery or recycling should be sent to an approved waste disposal contractor for disposal in an approved waste facility. Processing, use or contamination of this product may change the waste management options. Dispose of container and unused contents using an approved waste disposal contractor. Care should be taken to ensure compliance with national and local regulations. This product is NOT for disposal by either landfill or via municipal sewers, drains, natural streams or rivers.
<b>Legislation</b>	Dispose of in accordance with relevant national and local regulations.
<b>Special Precautions:</b>	Emptied containers retain product residue and may therefore present hazards. The product is considered to be a hazardous waste because of its corrosivity. Observe all safeguards on label and in this SDS until container is cleaned or destroyed. Decontaminate small, empty containers with plenty of water. Empty large containers, such as drums, should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor. Dispose of washed containers in accordance with local authority requirements.

### 14. TRANSPORT INFORMATION

#### **Road and Rail Transport:**

Classified as a Dangerous Good according to NZS 5433:2020 Transport of Dangerous Goods on Land.

<b>UN No</b>	3264
<b>Class</b>	8 (Corrosive)
<b>Packing Group</b>	II
<b>Proper Shipping Name</b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Contains Phosphoric and Nitric acid)
<b>Hazchem Code</b>	2X

#### **Marine Transport:**

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

<b>UN No</b>	3264
<b>Class</b>	8 (Corrosive)
<b>Packing Group</b>	II
<b>Proper Shipping Name</b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Contains Phosphoric and Nitric acid)

#### **Air Transport:**

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous goods Regulations for transport by air.

<b>UN No</b>	3264
<b>Class</b>	8 (Corrosive)
<b>Packing Group</b>	II
<b>Proper Shipping Name</b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Contains Phosphoric and Nitric acid)

## 15. REGULATORY INFORMATION

<b>ERMA (NZ) Approval Code</b>	HSR002526
<b>Group Standard</b>	Cleaning Products (Corrosive) Group Standard 2020
<b>Classifications</b>	Skin Corrosion – Category 1B Eye Damage – Category 1 Specific Target Organ Toxicity (Repeated Exp) - Category 2 Corrosive to Metals - Category 1

## 16. OTHER INFORMATION

### Common Acronyms Used

<b>CAS No.</b>	Chemical Abstracts Service Registry Number
<b>UN No.</b>	United Nations Dangerous Goods Number
<b>HSNO</b>	Hazardous Substances and New Organisms Act and Regulations

This SDS is a Hazard Communication tool and should be used to assist in Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. The User is responsible to evaluate all available information when using the product for any particular use and to comply with all the current legislation.